

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 71 CLAY

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0001		SR 200 .4 MI. N. OF BRADFORD CO. LINE	N	10500	S	10000	20500 C	9.5	53.6F	25.6A
0004		CR 220 .1 MI. E. OF CR 224 HPMS	E	16000E	W	16000E	32000 V	9.0	54.1F	1.3F
0006		SR 21 150' N. OF SR 16	N	0	S	0	7100 C	9.5	54.1F	8.6F
0007		SR 16 150' E. OF SR 21	E	3500	W	3500	7000 C	9.5	54.1F	10.2A
0014		SR 21 500' S. OF GROVE ST.	E	0	W	0	7000 C	9.0	54.1F	8.6F
0015		SR 16 @ W. END SHANDS BRIDGE	E	0	W	0	17000 C	9.0	54.1F	7.0F
0020		SR 15 300' S OF CR 209 TO W.	N	17000	S	16500	33500 C	9.0	54.1F	5.9F
0025		SR 21 N. OF EVERETT AVE.	N	21000	S	20000	41000 C	9.0	54.1F	6.9F
0030		SR 15 .5 MI N. CLARKES CREEK BRIDGE	N	5000	S	4900	9900 C	9.5	54.1F	18.1F
0035		US 17 N. OF DENMARK DR.(S. OF PACE ISLAND)	N	25500	S	27000	52500 C	9.0	54.1F	5.9F
0047		CR 224 .1 MI. N. OF CR 220 HPMS	N	10000E	S	10000E	20000 V	9.0	54.1F	1.3F
0050		SR 21 S. OF JEFFERSON AVE.	N	23500	S	23500	47000 C	9.0	54.1F	6.9F
0063		SR 100 .1 MI. N. OF CR 219 TO SW	E	0	W	0	6600 C	9.5	54.1F	6.2F
0104		SR 16 .1 MI. W. OF SR 21	E	2300	W	2100	4400 C	9.5	54.1F	7.0F
0108		SR 16 .2 MI. W. OF CR 16A	E	0	W	0	9300 C	9.5	54.1F	7.0F
0110		SR 100 200' S. OF LAKEVIEW DR.(KEYSTONE HEIGHTS	E	5900	W	6000	11900 C	9.0	54.1F	6.2A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 71 CLAY

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0113		SR 16 .75 MI. E. OF SR 15	E 8600	W 9200	17800 C	9.0	54.1F	7.0A
0116		SR 230 1.5 MI. E. OF BRADFORD COUNTY LINE	E 1500	W 1400	2900 C	9.5	54.1F	7.9A
0118		SR 16 .1 MI. N. OF SR 230	E 0	W 0	7900 C	9.5	54.1F	7.0F
0119		SR 21 150' S. OF SR 16	N 4800	S 4300	9100 C	9.5	54.1F	8.6A
0121		SR 21 S. OF SR 224	N 34000	S 33500	67500 C	9.0	54.1F	6.9F
0122		SR 21 300' N. OF RIDGEWOOD AVE.	N 29000	S 29000	58000 C	9.0	54.1F	6.9F
0130		SR 21 200' N OF SPENCER RD.	N 31000	S 32000	63000 C	9.0	54.1F	6.9F
0131		US 17 100' S. OF DOCTOR INLET BRIDGE	N 25500	S 25500	51000 C	9.0	54.1F	5.9F
0132		SR 224 W.OF BELLAIR BLVD.	E 14000	W 13500	27500 C	9.0	54.1F	1.3F
0142		SR 15 .1 MI. N. OF SR 16 TO E.	N 11000	S 10500	21500 C	9.0	54.1F	18.1F
0147		SR 15/US 17) 300' N. OF GOVERNOR ST.	N 15000	S 14500	29500 C	9.0	54.1F	5.9F
0151		SR 16 W. OF SR 15	E 5800	W 5700	11500 C	9.0	54.1F	10.2F
0158		SR 16 .5 MI. E. OF SAUNDERS RD. (PENNEY FARMS)	E 0	W 0	11500 C	9.5	54.1F	10.2F
0164		SR 21 300' N. OF COMMERICAL CIR.(KEYSTONE HEIGHT	E 0	W 0	11500 C	9.0	54.1F	8.6F
0168		SR 100.3 NW OF SR 21 (KEYSTONE HEIGHTS)	E 0	W 0	11000 C	9.0	54.1F	6.2F
0172		CR 225 500' NW OF SR 16 (NHS)	E 0	W 0	1400 C	9.5	54.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 71 CLAY

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0186		CR 218 .1 MI. N. OF SR 16 (HPMS)	S	0	N	0	6500 C	9.5	54.1F	1.3F
0189	T	SR-15/US-17, 0.6 MI S OF CR-220, CLAY CO.	N	20735	S	20752	41487 C	9.0	54.3A	5.9A
0195		SR 15 350' S. OF CR 209	N	4400	S	4600	9000 C	9.5	54.1F	18.1F
0196		SR 15/US 17 .3 MI. S. OF SR 16 TO E.	N	7100	S	7000	14100 C	9.0	54.1F	10.7A
0215		CR.220 .1 MI. E. OF SR 21 (HPMS)		0E		0E	9200 T	9.0	54.1F	1.3F
0218		CR 220A .1 MI. W. OF SR 21 (HPMS)	E	7900E	W	8200E	16100 R	9.0	54.1F	1.3F
0233	T	SR-21, 0.124 MI NORTH OF CR-215, CLAY CO.	N	9625	S	9545	19170 C	9.0	55.6A	6.9A
0236		SR 23 (BRANNAN FIELD RD.) S. OF OLD JENNINGS RD.	N	5000	S	4400	9400 C	9.0	54.1F	2.4F
0237		SR 23 .5 MI. N. OF OAK LEAF PLANTATION S.	N	16000	S	14000	30000 C	9.0	54.1F	2.4F
0238		SR 23 (FRONTAGE RD.) 1.0 MI. N. OF OLD JENNINGS	N	10500		0	10500 C	9.0	99.9W	2.5A
0239		SR 23 (FRONTAGE RD.) 1.0 MI. N. OF OLD JENNINGS	S	3600		0	3600 C	9.0	99.9W	2.3A
3101		SR 15 100' N. OF BLACK CREEK BRIDGE	N	18000	S	17500	35500 C	9.0	54.1F	5.9F
3140		SR 15 100' S. OF I-295 RAMPS	N	38500	S	41500	80000 C	9.0	54.1F	5.9F
3213		SR 21 N OF CR 220A S. OF BLACK CREEK	N	17000	S	18500	35500 C	9.0	54.1F	6.9F
5001		SR 16 W. OF CR 15A	E	6900	W	6400	13300 C	9.0	54.1F	10.2F
5003		SR 16 E. OF CR 15A	E	5600	W	5700	11300 C	9.0	54.1F	10.2F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 71 CLAY

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
5004		SR 16 100' W. OF ACL (GREEN COVE SPRINGS)	E 5700	W 5500	11200 C	9.0	54.1F	10.2F
5005		SR 15 100' S. OF SR 224	N 26000	S 26000	52000 C	9.0	54.1F	5.9F
5006		SR 224 100' W. OF SR 15	E 13500	W 14000	27500 C	9.0	54.1F	1.3F
5007		SR 15 100' N. OF SR 224	N 30500	S 31500	62000 C	9.0	54.1F	5.9F
5010		SR 224 1.5 MI. E. OF CR 224A	E 17000	W 17000	34000 C	9.0	54.1F	1.3F
5012		SR 224 400' W. OF S 224A	E 13000	W 13500	26500 C	9.0	54.1F	1.3A
5015		SR 15 125' N. OF SR 16	N 11500	S 11000	22500 C	9.0	54.1F	5.9F
5016		SR 15 100' SE. OF SR 16	N 10500	S 9500	20000 C	9.0	54.1F	18.1F
5017		SR 16 E. OF WALNUT ST.	E 5800	W 5700	11500 C	9.0	54.1F	10.2F
5019		SR 15 200' N. OF NORTH ST.	N 12500	S 11500	24000 C	9.0	54.1F	5.9F
9001		WELLS RD. W. OF DEBARRY AVE. (HPMS)	E 12000	W 13000	25000 C	9.0	54.1F	1.3F
9002		PLAINFIELD AVE. N. OF MILWAUKEE AVE. (HPMS)	N 0	S 0	2800 C	9.0	54.1F	1.3F
9003		PEORIA RD. SE OF COLLEGE RD. (HPMS)	E 0	W 0	11500 C	9.0	54.1F	1.3F
9004		KNIGHT BOX RD. N. OF CR 220 (HPMS)	N 6500	S 5700	12200 C	9.0	54.1F	1.3F
9005		CR 218 E. OF CARTER SPENCER RD. (HPMS)	E 0	W 0	13500 C	9.0	54.1F	1.3F
9006		CR 739B W. OF CR 209 (HPMS)	E 0	W 0	6400 C	9.0	54.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 71 CLAY

SITE	SITE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT	"K"	"D"	"T"
====	====	=====	=====		=====		=====	=====	=====	=====
9007		CR 739B E. OF CR 739 (HPMS)	E	0	W	0	8700 C	9.0	54.1F	1.3F
9008		IMMOKALEE RD. E. OF YMCA CAMP ENT. (HPMS)	W	0	E	0	800 C	9.0	54.1F	1.3F
9009		IMMOKALEE RD. E. OF BEDFORD OAK DR.	E	0	W	0	800 C	9.0	54.1F	1.3F
9100		CHRISTIAN CAMP RD. .1 MI. N. OF CR 214		0E		0E	250 F	9.5	54.1F	1.3F
9101		DEBARRY AVE. .1 MI. N. OF SR 224		0E		0E	6800 F	9.0	54.1F	1.3F
9102		KINGSLEY AVE. .1 MI. E. OF US 17	E	850E	W	750E	1600 F	9.0	54.1F	1.3F
9103		DEBARRY AVE. .1 MI. S. OF WELLS RD.		0E		0E	9800 F	9.0	54.1F	1.3F
9104		MEDEIRA DR. .1 MI. E. OF SR 21		0E		0E	2300 F	9.0	54.1F	1.3F
9105		BELLAIR BLVD. .1 MI. N. OF SR 224		0E		0E	6000 F	9.0	54.1F	1.3F
9106		GREEN RIDGE RD. .1 MI. N. OF CR 224A		0E		0E	1900 V	9.0	54.1F	1.3F
9107		CR 219 .1 M. W. OF SR 100		0E		0E	1200 V	9.5	54.1F	1.3F
9108		PLAINFIELD AVE. .1 MI. S. OF WELLS RD.		0E		0E	2900 V	9.0	54.1F	1.3F
9109		MOODY AVE. .1 MI. E. OF CR 1181		0E		0E	5400 V	9.0	54.1F	1.3F
9110		MOODY AVE. .1 MI. W. OF 224A		0E		0E	8800 R	9.0	54.1F	1.3F
9111		CR 217 .1 MI. N. OF CR 218		0E		0E	3200 R	9.5	54.1F	1.3F
9112		CR 315 .1 MI. N. OF SR 16		0E		0E	5100 R	9.0	54.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;  
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION  
2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 71 CLAY

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1		DIRECTION 2		AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
====	====	=====	=====	=====	=====	=====	=====	=====	=====	=====
9113		CR 16A .1 MI. E. OF SR 16		0E		0E	300 R	9.5	54.1F	1.3F
9114		CR 352 .1 MI. E. OF SR 21		0E		0E	1700 R	9.5	54.1F	1.3F
9115		GREEN COVE AVE. .1 MI. W. OF US 17	E	0	W	0	1600 C	9.0	54.1F	1.3F
9116		CR 214 .1 MI. E. OF SR 100		0E		0E	5400 R	9.0	54.1F	1.3F
9117		CR 15A .1 MI. N. OF US 17		0E		0E	2200 T	9.5	54.1F	1.3F
9118		CR 209 .1 MI. W. OF US 17		0E		0E	11000 T	9.0	54.1F	1.3F
9119		CR 215 .1 MI. N. OF SR 16		0E		0E	6000 T	9.5	54.1F	1.3F
9120		CR 315C .1 MI. S. OF SR 21		0E		0E	3400 T	9.5	54.1F	1.3F
9121		CR 15A .1 MI. E. OF US 17		0E		0E	3200 T	9.0	54.1F	1.3F
9122		CR 739(HENLY RD.) .1 MI. N. OF CR 218		0E		0E	7600 F	9.0	54.1F	1.3F
9123		CR 214 .1 MI. W. OF SR 100	E	0	W	0	1600 C	9.0	54.1F	1.3F
9124		CR 220 .1 MI. E. OF PLANTATION DR.		0E		0E	32500 F	9.0	54.1F	1.3F
9125		BAXLEY RD. .1 MI. S. OF SR 21		0E		0E	8500 V	9.0	54.1F	1.3F
9126		OAKLEAF PLANTATION PKY .1 MI. W. OF SR 23 (HPMS)	N	5900	S	5700	11600 C	9.0	54.1F	1.3F
9127		TOWN CENTER BLVD. .1 MI. W. OF US 17 (HPMS)	N	1100	S	1200	2300 C	9.0	54.1F	1.3F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF