

FLORIDA DEPARTMENT OF TRANSPORTATION
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 74 NASSAU

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0004		SR 15 1.5 MI. NW OF SR 200	N 5900	S 5800	11700 C	9.5	55.3F	16.9F
0005		SR 200 .1 MI. S. OF CRAWFORD RD.	N 3100	S 3000	6100 C	9.5	54.3F	31.1F
0011		SR 5 .25 MI. S. OF SR 200	N 7200	S 6900	14100 C	9.0	54.3F	7.0A
0015		SR 115 S.OF BRIDGE .35 MI SE OF SR 15	E 4800	W 4300	9100 C	9.0	54.3F	4.9A
0019		SR 15 .1 MI. N. OF EASTWOOD RD.(HILLIARD)	N 6600	S 6600	13200 C	9.5	55.3F	16.9F
0047	T	SR15/US1,7 MI N OF HILLIARD @ STATE LINE,NASSAU	N 4548	S 4580	9128 C	9.5	53.6A	15.9A
0101		SR A1A .4 MI. E. OF US 17	E 18000	W 18500	36500 C	9.0	54.3F	5.4F
0102		SR A1A 200' S. OF LIME ST.	E 9300	W 8800	18100 C	9.0	54.3F	5.4F
0103		SR A1A WEST OF BRIDGE OVER AMELIA RIVER	E 20000	W 20500	40500 C	9.0	54.3F	5.4A
0104		SR 5 300' N OF RAILROAD IN YULEE	N 6500	S 5300	11800 C	9.0	54.3F	7.0F
0105		SR A1A E. OF CR 200A(CHESTER RD.)	E 16000	W 16500	32500 C	9.0	54.3F	5.4F
0106		SR 200(A1A) .2 MI. E. OF AMELIA ISLAND PKWY	E 15000	W 15500	30500 C	9.0	54.3F	5.4F
0109		SR 200 .1 MI. S. OF OVERPASS S. OF CALLAHAN	N 3300	S 3200	6500 C	9.5	54.3F	31.1F
0110		SR A1A S. OF PETREE RD.	E 5100	W 4700	9800 C	9.5	54.3F	9.8F
0112		CR 107 .1 MI. S. OF SR 200	0E	0E	9100 S	9.0	54.3F	3.4F
0114		SR A1A 300' E. OF SR 105A	N 0	S 0	6800 C	9.0	54.3F	2.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 74 NASSAU

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
0117		SR A1A S. OF STRATTON RD.	N 7900	S 7600	15500 C	9.0	54.3F	9.8F
0122		SR 15 .1 MI. NW OF CR 108	N 9100	S 9600	18700 C	9.0	55.3F	16.9F
0125		SR 15 200' S. OF SR 115 (CALLAHAN)	N 6100	S 6300	12400 C	9.0	54.3F	16.9F
0128		SR A1A .2 MI. W. OF JEAN LAFITTE ST.	E 4000	W 4200	8200 C	9.0	54.3F	5.4F
0132	T	SR-9/I-95,2.0 MI S OF GA. STATE LINE,NASSAU CO.	N 33792	S 33464	67256 C	10.5	52.7A	17.9A
0138		SR A1A .2 MI. N. OF SANDPIPER LOOP	N 0	S 0	6900 C	9.0	54.3F	2.0F
0140		SR 15 .2 MI. S. OF HALLMAN RD.	N 5500	S 5500	11000 C	9.5	54.3F	16.9F
0156		CR 2 .1 MI. W. OF CR 121	0E	0E	3500 S	9.5	54.3F	3.4F
0158		I-95 2 MI. N. OF SR 200	N 27000	S 26000	53000 C	10.5	52.9F	18.5F
0161		SR A1A /SR 105 .1 MI. S. OF CR 105A	E 0	W 0	13000 C	9.0	54.3F	3.4F
0162		SR 5(US 17) .1 MI. S. OF GA. STATE LINE	E 0	W 0	4000 C	9.5	54.3F	7.0F
0182	T	SR-A1A&200/US-301,0.4 MI W OF SR-5/US-17,NASSAU	E 10705	W 10961	21666 C	9.0	54.7A	10.4A
2000		RAMP SR 200 TO I-95 SB	S 8400	0	8400 C	9.5	99.9W	18.5F
2001		RAMP I-95 NB TO SR 200	N 8200	0	8200 C	9.5	99.9W	18.5F
2002		RAMP I-95 SB TO SR 200	S 2400	0	2400 C	9.5	99.9W	18.5F
2003		RAMP SR 200 TO I-95 NB	N 2400	0	2400 C	9.5	99.9W	18.5F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 74 NASSAU

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====		DIRECTION 2 =====		AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
2004		RAMP I-95 NB TO US 17	N	1000		0	1000 C	9.5	99.9W	18.5F
2005		RAMP US 17 TO I-95 NB	N	3900		0	3900 C	9.5	99.9W	18.5F
2006		RAMP US 17 TO I-95 SB	S	850		0	850 C	9.5	99.9W	18.5F
2007		RAMP I-95 SB TO US 17	S	3400		0	3400 C	9.5	99.9W	18.5F
3066		SR A1A 100' N. OF DUVAL COUNTY LINE	N	0	S	0	6000 C	9.0	54.3F	3.4F
3160		SR 200/US 301 .2 MI. N. OF CR 119 TO S.	N	3000	S	2800	5800 C	9.5	54.3F	31.1F
5002		SR 200 300' S. OF ATLANTIC AVE.	E	0	W	0	10500 C	9.0	54.3F	5.4F
5003		SR 200 100' E OF 8TH ST.	E	0	W	0	4900 C	9.0	54.3F	5.4F
5004		SR 200 250' W. OF 14TH ST.	E	0	W	0	6200 C	9.0	54.3F	5.4F
5005		SR A1A 200' S. OF SR 200	N	0	S	0	5300 C	9.0	54.3F	2.0F
5006		SR A1A 300' N. OF CR 108	N	0	S	0	6800 C	9.0	54.3F	2.0F
5007		SR A1A 300' S. OF CR 108	N	0	S	0	8000 C	9.0	54.3F	2.0F
5012		SR 200 300' E. OF 14TH ST.	E	0	W	0	8600 C	9.0	54.3F	5.4F
5014		SR A1A N. OF KENTUCKY AVE.	N	3300	S	3100	6400 C	9.0	54.3F	2.0A
5015		SR 200 (US 301) S. OF SR 15 (US 1)	N	3600	S	3600	7200 C	9.0	54.3F	31.1F
5020		US 17(SR 5) .1 MI. S. OF CR 108	N	0	S	0	11000 C	9.5	54.3F	7.0F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 74 NASSAU

SITE	SITE TYPE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT TWO-WAY	"K" FCTR	"D" FCTR	"T" FCTR
=====	=====	=====	=====	=====	=====	=====	=====	=====
5021		US 1(SR 5) .1 MI. N. OF SR 115	N 9900	S 9500	19400 C	9.0	54.3F	16.9F
5022		SR A1A 1 MI. W. OF I-95	E 7400	W 7100	14500 C	9.5	54.3F	9.8F
6001		RAMP I-95 SB TO WELCOME STATION	S 1800	0	1800 C	9.5	99.9W	18.5F
7001		8TH ST. S. OF DADE ST. (NHS) (SIS)	N 1900	S 1700	3600 C	9.0	54.3F	35.9A
8001		DADE ST. W. OF 8TH ST. (SIS)	E 250	W 250	500 C	9.0	54.3F	19.1A
9001		MIDDLE RD. N. OF GRIFIN RD. (HPMS)	N 0	S 0	1000 C	9.5	54.3F	3.4F
9002		SADLER RD. E. OF 14TH ST. (HPMS)	E 7400	W 7700	15100 C	9.0	54.3F	3.4F
9003		RIVER RD. E. OF DADDY RABBIT LANE (HPMS)	E 0	W 0	2800 C	9.5	54.3F	3.4F
9004		CR 121 N. OF CONNER RD. (HPMS)	0E	0E	2400 X	9.5	54.3F	3.4F
9100		FORD RD. .1 MI. E. OF US 301	0E	0E	1100 F	9.5	54.3F	3.4F
9101		THOMAS CREEK RD. .1 MI. EAST OF US 301	0E	0E	650 F	9.5	54.3F	3.4F
9102		EASTWOOD RD. .1 MI. S. OF CR 108	0E	0E	1200 F	9.5	54.3F	3.4F
9103		MUSCLEWHITE RD .1 MI. N. OF US 301	N 0	S 0	1300 C	9.5	54.3F	3.4F
9104		GRIFFIN RD. .1 MI. N. OF SR 200	N 0	S 0	1300 C	9.5	54.3F	3.4F
9105		WILSON NECK RD. .1 MI. N. OF AVANT RD.	N 0	S 0	450 C	9.0	54.3F	3.4F
9106		INDIGO ST. .1 MI. E. OF S. 8TH ST.	0E	0E	100 R	9.0	54.3F	3.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST; V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 74 NASSAU

SITE	SITE	DESCRIPTION	DIRECTION 1	DIRECTION 2	AADT	"K"	"D"	"T"
====	====	=====	=====	=====	=====	=====	=====	=====
9107		LESSIE ST. .1 MI. N. OF CR 108	0E	0E	300 R	9.5	54.3F	3.4F
9108		CHURCH RD. .1 MI. E. OF US 1	0E	0E	2100 R	9.0	54.3F	3.4F
9109		CR 107A .1 MI. E. OF CR 107	E 0	W 0	950 C	9.0	54.3F	3.4F
9110		SADLER RD W OF CITRONA DR / WILL HARDEE RD	E 8900E	W 8700E	17600 T	9.0	54.3F	3.4F
9111		CR 121 .1 MI. N. OF DUVAL CO. LINE	0E	0E	3000 T	9.5	54.3F	3.4F
9112		CR 115A .1 MI. N. OF CR 108	0E	0E	1500 T	9.5	54.3F	3.4F
9113		CHESTER RD. .1 MI N. OF PAGES DAIRY RD.	0E	0E	9600 T	9.0	54.3F	3.4F
9114		RATLIFF RD. .1 MI. W. OF US 1	0E	0E	3800 S	9.0	54.3F	3.4F
9115		HENRY SMITH RD. .1 MI. S. OF US 1	0E	0E	1800 S	9.5	54.3F	3.4F
9116		AMELIA ISLAND PKWY .1 MI. S. OF SR 200	0E	0E	12500 S	9.0	54.3F	3.4F
9117		CR 105B .1 MI. W. OF SR 105	0E	0E	2400 S	9.0	54.3F	3.4F
9118		JULIA ST. .1 MI. S. OF SR 105(FLETCHER AVE.)	0E	0E	6000 S	9.0	54.3F	3.4F
9119		AMELIA ISLAND PKWY .1 MI. N. OF SR 105(FLETCHER	0E	0E	6200 S	9.0	54.3F	3.4F
9120		S 14TH ST, 350 FT N OF SR-108/SADLER RD	N 9400	S 10000	19400 C	9.0	54.3F	3.4F
9121		JASMINE ST. .1 MI. E. OF SR 200	0E	0E	1200 S	9.0	54.3F	3.4F
9122		CR 119 .1 MI. E. OF US 301	0E	0E	1900 S	9.5	54.3F	3.4F

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF

FLORIDA DEPARTMENT OF TRANSPORTATION
 2019 ANNUAL AVERAGE DAILY TRAFFIC REPORT - REPORT TYPE: ALL

COUNTY: 74 NASSAU

SITE =====	SITE TYPE =====	DESCRIPTION =====	DIRECTION 1 =====	DIRECTION 2 =====	AADT TWO-WAY =====	"K" FCTR =====	"D" FCTR =====	"T" FCTR =====
9123		CR 108 .1 MI. W. OF US 17	0E	0E	3400 S	9.5	54.3F	3.4F
9124		CR 105A .1 MI. N. OF FLETCHER AVE	0E	0E	8900 S	9.0	54.3F	3.4F
9125		S. 14TH ST. .1 MI. S. OF ATLANTIC AVE.	0E	0E	6900 S	9.0	54.3F	3.4F
9126		TARPON AVE .1 MI. N. OF ATLANTIC AVE.	0E	0E	3300 S	9.0	54.3F	3.4F
9127		CR 107 .1 MI. N. OD SR 200	0E	0E	1900 S	9.0	54.3F	3.4F
9128		CR 121A(MIDDLE RD) .1 MI. N. OF CR 108	0E	0E	450 S	9.5	54.3F	3.4F
9129		LAKE HAMPTON RD. .1 MI. E. OF US 301	0E	0E	650 S	9.5	54.3F	3.4F
9130		CR 115(BAY RD) .1 MI. W. OF CR 108	0E	0E	1500 S	9.5	54.3F	3.4F
9131		CR 115 .1 MI. W. OF US 301	0E	0E	2500 S	9.0	54.3F	3.4F
9132		CR 119 .1 MI. W. OF US 301	0E	0E	1300 S	9.5	54.3F	3.4F
9133		HARTS RD. .1 MI. S. OF SR 200	N 0	S 0	1100 C	9.0	54.3F	3.4F
9134		CHESTER RD. .1 MI. N. OF SR 200	N 5200	S 5200	10400 C	9.0	54.3F	3.4F
9135		N. 14TH ST. .1 MI. N. OF ATLANTIC AVE.	0E	0E	3400 S	9.0	54.3F	3.4F
9136		WILLIAM BURGESS BLVD. .1 MI. E. OF SR 200	E 0	W 0	2600 C	9.0	54.3F	3.4F
9137		AMELIA CONCOURSE .1 MI. S. OF SR 200	N 6500	S 6300	12800 C	9.0	54.3F	3.4F
9923	T	SR-9/I-95, 2.5 MI N OF HWY A1A , JAX., NASSAU CO	N 31753	S 31439	63192 C	10.5	53.1A	19.1A

SITE TYPE : BLANK= PORTABLE; T= TELEMETERED

"K" FACTOR : DEPARTMENT ADOPTED STANDARD K FACTOR BEGINING WITH COUNT YEAR 2011

AADT FLAGS : C= COMPUTED; E= MANUAL EST; F= FIRST YEAR EST; S= SECOND YEAR EST; T= THIRD YEAR EST; R= FOURTH YEAR EST;
 V= FIFTH YEAR EST; 6= SIXTH YEAR EST; X= UNKNOWN

"D/T" FLAGS : A= ACTUAL; F= FACTOR CATG; D= DIST FUNCL; P= PRIOR YEAR; S= STATEWIDE DEFAULT; W= ONE-WAY ROAD; X= CROSS REF